

48. Lahat N, Shapiro S, Froom P, Kristal-Boneh E, Inspector M, Miller A. Inorganic lead enhances cytokine-induced elevation of matrix metalloproteinase MMP-9 expression in glial cells. *J Neuroimmunol* 2002;132:123-8.
49. Sansar W, Ahboucha S, Gamrani H. Chronic lead intoxication affects glial and neural systems and induces hypoactivity in adult rat. *Acta Histochem* 2011;113:601-7.
50. Little AR, O'Callaghan JP. Astrogliosis in the adult and developing CNS: is there a role for proinflammatory cytokines? *Neurotoxicology* 2001;22:607-18.
51. Lindahl LS, Bird L, Legare ME, Mikeska G, Bratton GR, Tiffany-Castiglioni E. Differential ability of astroglia and neuronal cells to accumulate lead: dependence on cell type and on degree of differentiation. *Toxicol Sci* 1999;50:236-43.
52. Tiffany-Castiglioni E, Sierra EM, Wu JN, Rowles TK. Lead toxicity in neuroglia. *Neurotoxicology* 1989;10:417-43.
53. Legare ME, Barhoumi R, Hebert E, Bratton GR, Burghardt RC, Tiffany-Castiglioni E. Analysis of Pb²⁺ entry into cultured astroglia. *Toxicol Sci* 1998;46:90-100.
54. Gahtan E, Overmier JB. Inflammatory pathogenesis in Alzheimer's disease: biological mechanisms and cognitive sequeli. *Neurosci Biobehav Rev* 1999;23:615-33.
55. Li M, Sunamoto M, Ohnishi K, Ichimori Y. Beta-amyloid protein-dependent nitric oxide production from microglial cells and neurotoxicity. *Brain Res* 1996;720:93-100.
56. McCann MJ, O'Callaghan JP, Martin PM, Bertram T, Streit WJ. Differential activation of microglia and astrocytes following trimethyl tin-induced neurodegeneration. *Neuroscience* 1996;72:273-81.
57. Shao W, Zhang SZ, Tang M, Zhang XH, Zhou Z, Yin YQ, Zhou QB, Huang YY, Liu YJ, Wawrousek E, Chen T, Li SB, Xu M, Zhou JN, Hu G, Zhou JW. Suppression of neuroinflammation by astrocytic dopamine D₂ receptors via α B-crystallin. *Nature* 2013;494:90-4.
58. Hu S, Sheng WS, Ehrlich LC, Peterson PK, Chao CC. Cytokine effects on glutamate uptake by human astrocytes. *Neuroimmunomodulation* 2000;7:153-9.
59. Thornton P, Pinteaux E, Gibson RM, Allan SM, Rothwell NJ. Interleukin-1-induced neurotoxicity is mediated by glia and requires caspase activation and free radical release. *J Neurochem* 2006;98:258-66.
60. Boutin H, LeFeuvre RA, Horai R, Asano M, Iwakura Y, Rothwell NJ. Role of IL-1 α and IL-1 β in ischemic brain damage. *J Neurosci* 2001;21:5528-34.
61. da Cunha A, Jefferson JA, Jackson RW, Vitkovic L. Glial cell-specific mechanisms of TGF- β 1 induction by IL-1 in cerebral cortex. *J Neuroimmunol* 1993;42:71-85.
62. Herrera-Molina R, von Bernhardi R. Transforming growth factor- β 1 produced by hippocampal cells modulates microglial reactivity in culture. *Neurobiol Dis* 2005;19:229-36.
63. Cardoso FL, Brites D, Brito MA. Looking at the blood-brain barrier: molecular anatomy and possible investigation approaches. *Brain Res Rev* 2010;64:328-63.
64. Kim JH, Byun HM, Chung EC, Chung HY, Bae ON. Loss of integrity: impairment of the blood-brain barrier in heavy metal-associated ischemic stroke. *Toxicol Res* 2013;29:157-64.
65. Balbuena P, Li W, Ehrlich M. Assessments of tight junction proteins occludin, claudin 5 and scaffold proteins ZO1 and ZO2 in endothelial cells of the rat blood-brain barrier: cellular responses to neurotoxicants malathion and lead acetate. *Neurotoxicology* 2011;32:58-67.
66. Shi LZ, Zheng W. Early lead exposure increases the leakage of the blood-cerebrospinal fluid barrier, *in vitro*. *Hum Exp Toxicol* 2007;26:159-67.
67. I Bannon D, Portnoy ME, Olivi L, Lees PS, Culotta VC, Bressler JP. Uptake of lead and iron by divalent metal transporter 1 in yeast and mammalian cells. *Biochem Biophys Res Commun* 2002;295:978-84.
68. Wang J, Wu J, Zhang Z. Oxidative stress in mouse brain exposed to lead. *Ann Occup Hyg* 2006;50:405-9.
69. Wang Q, Lin Y, Zhang W, Liu M, Chen Y, Chen J, Luo W. Lead induces dysregulation of iron regulatory protein 1 via the extracellular signal-regulated kinase pathway in human vascular endothelial cells. *Brain Res* 2012;1455:19-27.
70. Wang Q, Luo W, Zheng W, Liu Y, Xu H, Zheng G, Dai Z, Zhang W, Chen Y, Chen J. Iron supplement prevents lead-induced disruption of the blood-brain barrier during rat development. *Toxicol Appl Pharmacol* 2007;219:33-41.
71. Gu H, Wei X, Monnot AD, Fontanilla CV, Behl M, Farlow MR, Zheng W, Du Y. Lead exposure increases levels of β -amyloid in the brain and CSF and inhibits LRP1 expression in APP transgenic mice. *Neurosci Lett* 2011;490:16-20.
72. Stewart WF, Schwartz BS, Davatzikos C, Shen D, Liu D, Wu X, Todd AC, Shi W, Bassett S, Youssef D. Past adult lead exposure is linked to neurodegeneration measured by brain MRI. *Neurology* 2006;66:1476-84.
73. Liu JS, John GR, Sikora A, Lee SC, Brosnan CF. Modulation of interleukin-1 β and tumor necrosis factor α signaling by P₂ purinergic receptors in human fetal astrocytes. *J Neurosci* 2000;20:5292-9.
74. Gavillet M, Allaman I, Magistretti PJ. Modulation of astrocytic metabolic phenotype by proinflammatory cytokines. *Glia* 2008;56:975-89.
75. Huber JD, Witt KA, Hom S, Egleton RD, Mark KS, Davis TP. Inflammatory pain alters blood-brain barrier permeability and tight junctional protein expression. *Am J Physiol Heart Circ Physiol* 2001;280:H1241-8.
76. O'Shea RD. Roles and regulation of glutamate transporters in the central nervous system. *Clin Exp Pharmacol Physiol* 2002;29:1018-23.
77. Biber K, Vinet J, Boddeke HW. Neuron-microglia signaling: chemokines as versatile messengers. *J Neuroimmunol* 2008;198:69-74.
78. Shih AY, Johnson DA, Wong G, Kraft AD, Jiang L, Erb H, Johnson JA, Murphy TH. Coordinate regulation of glutathione biosynthesis and release by Nrf2-expressing glia potently protects neurons from oxidative stress. *J Neurosci* 2003;23:3394-406.
79. Bak LK, Schousboe A, Waagepetersen HS. The glutamate/GABA-glutamine cycle: aspects of transport, neurotransmitter homeostasis and ammonia transfer. *J Neurochem* 2006;98:641-53.
80. McKenna MC. The glutamate-glutamine cycle is not stoichiometric: fates of glutamate in brain. *J Neurosci Res* 2007;85:3347-58.
81. Pun PB, Lu J, Moomhala S. Involvement of ROS in BBB dysfunction. *Free Radic Res* 2009;43:348-64.
82. Trotti D, Nussberger S, Volterra A, Hediger MA. Differential modulation of the uptake currents by redox interconversion of cysteine residues in the human neuronal glutamate transporter EAAC1. *Eur J Neurosci* 1997;9:2207-12.
83. Nehru B, Kanwar SS. N-acetylcysteine exposure on lead-induced lipid peroxidative damage and oxidative defense system in brain regions of rats. *Biol Trace Elem Res* 2004;101:257-64.
84. Xu SZ, Shan CJ, Bullock L, Baker L, Rajanna B. Pb²⁺ reduces PKCs and NF- κ B *in vitro*. *Cell Biol Toxicol* 2006;22:189-98.
85. Guo F, Lou Y, Feng N, Li G, Xie A, Huang X, Wang Y. Exposure to lanthanum compound diminishes LPS-induced inflammation-associated gene expression: involvements of PKC and NF- κ B signaling pathways. *Biomaterials* 2010;23:669-80.
86. Nava-Ruiz C, Alcaraz-Zubeldia M, Méndez-Armenta M, Vergara P, Díaz-Ruiz A, Ríos C. Nitric oxide synthase immunolocalization and expression in the rat hippocampus after sub-acute lead acetate exposure in rats. *Exp Toxicol Pathol* 2010;62:311-6.

Cite this article as: Liu JT, Dong MH, Zhang JQ, Bai Y, Kuang F, Chen LW. Microglia and astroglia: the role of neuroinflammation in lead toxicity and neuronal injury in the brain. *Neuroimmunol Neuroinflammation* 2015;2(3):131-7.

Source of Support: The National Basic Research Program (2012CB525002, 2011CB504103) and National Natural Science Foundation of China (81272346, 31371374). **Conflict of Interest:** No.

Received: 31-08-2014; **Accepted:** 20-02-2015